



HUTTIG IS NOW
WOODGRAIN



BEAUTY. STRENGTH. DURABILITY.

CAPE GIRARDEAU STOCK INTERIOR DOOR CATALOG



CONTENTS

COMPANY STORY	2
SOLID CORE DOORS	6
MOLDED & FLUSH DOORS	8
STILE & RAIL CONSTRUCTION	16
STILE & RAIL DOORS	18
ROUGH OPENING GUIDE	22
HANDING GUIDE	23
UNIT OPTIONS	24





WE MAKE MILLWORK EASY

It all began in 1954 when a long-haul truck driver in Utah named Merrill "Bud" Dame accepted sawmill equipment from a customer who owed him a significant amount of money. With no experience in the wood industry and only a high school education, Bud's entrepreneurial spirit, resourcefulness, and drive led him to begin producing lumber and mouldings, planting the seeds of what would become Woodgrain: one of the largest millwork operations in the world, with locations all around the United States and Chile.

Today, Woodgrain proudly continues Bud's legacy by remaining family-owned and operated, while making the highest quality wood building products with an unwavering focus on our customers. Woodgrain continues to grow and leverage its strength of being vertically integrated. Woodgrain consists of five divisions, allowing us to find the most efficient path through the supply chain to meet our partners' unique needs. With the May 2022 acquisition of Huttig Building Products, Woodgrain is committed to offering a broad assortment of the most trusted building materials to our customers, while increasing our value-added services. By combining Woodgrain with Huttig's 135 years of rich history and depth of knowledge, we are on a mission to make building easy by adding value in everything we do and connecting you to the most trusted specialty building products available. Our goal is to Make Building Easy!

FIND OUT MORE ABOUT US:



OUR VALUES



INTEGRITY. We hold ourselves to a high moral standard with virtue at our core. This standard continues to be the key driver of our success.

SERVANT LEADERSHIP. We aim to do what's best for our company and the greater good. We are environmental stewards, using and reusing raw materials throughout our product offering.


RESPECT FOR PEOPLE. After 60 years in business, we're proud to be family-owned. We see our employees and customers as part of our family, and believe they should be treated with the same care and attention.

CONTINUOUS IMPROVEMENT. As our company grows, we continuously seek new ways to improve ourselves while delivering quality products. We provide the best selection at the lowest total cost of ownership.

EXCEEDING CUSTOMER EXPECTATIONS. The products we offer and people we serve are diverse, but our commitment to our customers is the same. From homeowners to pet owners to builders, we offer practical solutions that beautify homes. We aim to provide the best experience to every customer, every time.






THE WOODGRAIN DIFFERENCE




It all begins with our vertical integration. What does that mean? It means we own the supply chain, from the forest to your location. We manage the procurement of forest timber and from the processing of lumber to the facilities we use to manufacture final products, we own each step in the process, which ensures complete oversight of the quality of the wood we process. And because we own our trucks and distribution network, we provide our partners with just in time inventory, on time and complete.

It also means that sustainability is at the forefront of everything we do. Our raw material comes from sustainably managed forests. More than 99% of our wood fiber is used in some form—from composites to pellets, our manufacturing process residuals don't go to waste.

At Woodgrain, we are committed to delivering the best value to our customers through constant growth of our people, products, and processes.



WOODGRAIN LOCATIONS



LOCATIONS:

- DISTRIBUTION CENTER
- DOOR DIVISION
- DOOR SHOP/PRE-FINISH
- MILLWORK DIVISION
- LUMBER DIVISION
- DOOR SHOP
- WINDOW DIVISION



SOLID CORE DOORS



**BETTER SOUNDPROOFING.
BETTER DURABILITY.
BETTER VALUE.**

MAKE IT YOUR SANCTUARY

When noises compete against each other from different rooms, solid core doors are a great solution to help keep them separated and give you the sanctuary you need. Whether it's reducing distractions while in a virtual meeting or simply needing some peace and quiet, solid core doors are an excellent choice for home offices, bedrooms, bathrooms, and laundry rooms.

WHY SOLID CORE?

Solid core doors have a lot of the same benefits of solid wood doors, but at a better value. Because of their denser, thicker construction, solid core doors are better than hollow core doors at not only reducing sound, but also in providing you with a durable door that can better withstand the daily wear and tear of life.



HOLLOW CORE DOORS
SOUND REDUCTION: **LOW-MEDIUM**
DURABILITY: **LOW-MEDIUM**

SOLID CORE DOORS
SOUND REDUCTION: **HIGH**
DURABILITY: **HIGH**



SOLID CORE DOORS

MOLDED & FLUSH DOORS

/// MOLDED PANEL DOORS



1 PANEL SHAKER

1-3/8" HOLLOW CORE

1/4 X 6/8 2/0 X 8/0
 1/6 X 6/8 2/4 X 8/0
 2/0 X 6/8 2/6 X 8/0
 2/4 X 6/8 2/8 X 8/0
 2/6 X 6/8 3/0 X 8/0
 2/8 X 6/8
 3/0 X 6/8

1-3/8" SOLID CORE

1/6 X 6/8 3/0 X 6/8
 2/0 X 6/8 2/0 X 8/0
 2/4 X 6/8 2/4 X 8/0
 2/6 X 6/8 2/6 X 8/0
 2/8 X 6/8 2/8 X 8/0
 3/0 X 6/8

1-3/8" HOLLOW CORE BIFOLDS

2/0 X 6/8
 2/6 X 6/8
 3/0 X 6/8

1-3/4" SOLID CORE 20 MIN FIRE

2/8 X 6/8
 3/0 X 6/8

Primed



2 PANEL SHAKER

1-3/8" HOLLOW CORE

1/0 X 6/8 2/8 X 6/8
 1/4 X 6/8 3/0 X 6/8
 1/6 X 6/8 2/0 X 8/0
 1/8 X 6/8 2/4 X 8/0
 2/0 X 6/8 2/6 X 8/0
 2/4 X 6/8 2/8 X 8/0
 2/6 X 6/8 3/0 X 8/0

1-3/8" SOLID CORE

1/6 X 6/8 2/0 X 8/0
 2/0 X 6/8 2/4 X 8/0
 2/4 X 6/8 2/6 X 8/0
 2/6 X 6/8 2/8 X 8/0
 2/8 X 6/8 3/0 X 8/0
 3/0 X 6/8

1-3/8" HOLLOW CORE BIFOLDS


2/0 X 6/8
 2/6 X 6/8
 3/0 X 6/8

1-3/4" SOLID CORE 20 MIN FIRE

2/8 X 6/8 2/8 X 8/0
 3/0 X 6/8

Primed

/// MOLDED PANEL DOORS



3 PANEL T SHAKER

1-3/8" HOLLOW CORE

1/0 X 6/8
 1/4 X 6/8
 1/6 X 6/8
 1/8 X 6/8
 2/0 X 6/8
 2/4 X 6/8
 2/6 X 6/8
 2/8 X 6/8
 3/0 X 6/8

1-3/8" SOLID CORE

1/6 X 6/8
 2/0 X 6/8
 2/4 X 6/8
 2/6 X 6/8
 2/8 X 6/8
 3/0 X 6/8

1-3/8" HOLLOW CORE BIFOLDS

2/0 X 6/8
 2/6 X 6/8
 3/0 X 6/8

1-3/4" SOLID CORE 20 MIN FIRE

2/8 X 6/8
 3/0 X 6/8

Primed



3 PANEL EQUAL SHAKER

1-3/8" HOLLOW CORE

1/0 X 6/8 2/0 X 8/0
 1/4 X 6/8 2/4 X 8/0
 1/6 X 6/8 2/6 X 8/0
 1/8 X 6/8 2/8 X 8/0
 2/0 X 6/8 3/0 X 8/0
 2/4 X 6/8
 2/6 X 6/8
 2/8 X 6/8
 3/0 X 6/8

1-3/8" SOLID CORE

1/6 X 6/8 2/0 X 8/0
 2/0 X 6/8 2/4 X 8/0
 2/4 X 6/8 2/6 X 8/0
 2/6 X 6/8 2/8 X 8/0
 2/8 X 6/8 3/0 X 8/0
 3/0 X 6/8

1-3/8" HOLLOW CORE BIFOLDS

2/0 X 6/8
 2/6 X 6/8
 3/0 X 6/8

1-3/4" SOLID CORE 20 MIN FIRE

2/8 X 6/8 2/8 X 8/0
 3/0 X 6/8

Primed



/// MOLDED PANEL DOORS



5 PANEL EQUAL SHAKER

1-3/8" HOLLOW CORE

- 1/0 X 6/8 2/0 X 8/0
- 1/4 X 6/8 2/4 X 8/0
- 1/6 X 6/8 2/6 X 8/0
- 1/8 X 6/8 2/8 X 8/0
- 2/0 X 6/8 3/0 X 8/0
- 2/4 X 6/8
- 2/6 X 6/8
- 2/8 X 6/8
- 3/0 X 6/8

1-3/8" SOLID CORE

- 1/6 X 6/8 2/0 X 8/0
- 2/0 X 6/8 2/4 X 8/0
- 2/4 X 6/8 2/6 X 8/0
- 2/6 X 6/8 2/8 X 8/0
- 2/8 X 6/8 3/0 X 8/0
- 3/0 X 6/8

1-3/8" HOLLOW CORE BIFOLDS

- 2/0 X 6/8
- 2/6 X 6/8
- 3/0 X 6/8

1-3/4" SOLID CORE 20 MIN FIRE

- 2/8 X 6/8 2/8 X 8/0
- 3/0 X 6/8

Primed



2 PANEL SMOOTH

1-3/8" HOLLOW CORE

- 1/4 X 6/8 1/6 X 8/0
- 1/6 X 6/8 2/0 X 8/0
- 1/8 X 6/8 2/4 X 8/0
- 1/10 X 6/8 2/6 X 8/0
- 2/0 X 6/8 2/8 X 8/0
- 2/2 X 6/8 3/0 X 8/0
- 2/4 X 6/8
- 2/6 X 6/8
- 2/8 X 6/8
- 2/10 X 6/8
- 3/0 X 6/8

1-3/8" SOLID CORE

- 1/6 X 6/8 1/6 X 8/0
- 2/0 X 6/8 2/0 X 8/0
- 2/4 X 6/8 2/4 X 8/0
- 2/6 X 6/8 2/6 X 8/0
- 2/8 X 6/8 2/8 X 8/0
- 3/0 X 6/8 3/0 X 8/0

1-3/8" HOLLOW CORE BIFOLDS

- 2/0 X 6/8
- 2/6 X 6/8
- 3/0 X 6/8

1-3/4" SOLID CORE 20 MIN FIRE

- 2/8 X 6/8 2/8 X 8/0
- 3/0 X 6/8 3/0 X 8/0

Primed



/// MOLDED PANEL DOORS



2 PANEL
ROUNDTOP

1-3/8" HOLLOW CORE

- 1/4 X 6/8 1/6 X 8/0
- 1/6 X 6/8 2/0 X 8/0
- 1/8 X 6/8 2/4 X 8/0
- 1/10 X 6/8 2/6 X 8/0
- 2/0 X 6/8 2/8 X 8/0
- 2/2 X 6/8 3/0 X 8/0
- 2/4 X 6/8
- 2/6 X 6/8
- 2/8 X 6/8
- 2/10 X 6/8
- 3/0 X 6/8

1-3/8" SOLID CORE

- 1/6 X 6/8 1/6 X 8/0
- 2/0 X 6/8 2/0 X 8/0
- 2/4 X 6/8 2/4 X 8/0
- 2/6 X 6/8 2/6 X 8/0
- 2/8 X 6/8 2/8 X 8/0
- 3/0 X 6/8 3/0 X 8/0

1-3/8" HOLLOW CORE BIFOLDS

- 2/0 X 6/8
- 2/6 X 6/8
- 3/0 X 6/8

1-3/4" SOLID CORE 20 MIN FIRE

- 2/8 X 6/8 2/8 X 8/0
- 3/0 X 6/8

Primed



2 PANEL PLANK
ROUNDTOP

1-3/8" HOLLOW CORE

- 1/0 X 6/8 1/6 X 8/0
- 1/4 X 6/8 2/0 X 8/0
- 1/6 X 6/8 2/4 X 8/0
- 1/8 X 6/8 2/6 X 8/0
- 1/10 X 6/8 2/8 X 8/0
- 2/0 X 6/8 3/0 X 8/0
- 2/4 X 6/8
- 2/6 X 6/8
- 2/8 X 6/8
- 2/10 X 6/8
- 3/0 X 6/8

1-3/8" SOLID CORE

- 2/0 X 6/8
- 2/4 X 6/8
- 2/6 X 6/8
- 2/8 X 6/8
- 3/0 X 6/8

1-3/8" HOLLOW CORE BIFOLDS

- 2/0 X 6/8
- 2/6 X 6/8
- 3/0 X 6/8

1-3/4" SOLID CORE 20 MIN FIRE

- 2/8 X 6/8 2/8 X 8/0
- 3/0 X 6/8

Primed

/// MOLDED PANEL DOORS



2 PANEL ARCH
TEXTURED

1-3/8" HOLLOW CORE

- 1/0 X 6/8
- 1/4 X 6/8
- 1/6 X 6/8
- 1/8 X 6/8
- 2/0 X 6/8
- 2/2 X 6/8
- 2/4 X 6/8
- 2/6 X 6/8
- 2/8 X 6/8
- 3/0 X 6/8

1-3/8" HOLLOW CORE BIFOLDS

- 2/0 X 6/8
- 2/6 X 6/8

Primed



5 PANEL RAISED

1-3/8" HOLLOW CORE

- 1/0 X 6/8 1/4 X 8/0
- 1/2 X 6/8 1/6 X 8/0
- 1/4 X 6/8 2/0 X 8/0
- 1/6 X 6/8 2/4 X 8/0
- 1/8 X 6/8 2/6 X 8/0
- 2/0 X 6/8 2/8 X 8/0
- 2/4 X 6/8 3/0 X 8/0
- 2/6 X 6/8
- 2/8 X 6/8
- 3/0 X 6/8

1-3/8" SOLID CORE

- 2/0 X 6/8 2/0 X 8/0
- 2/4 X 6/8 2/4 X 8/0
- 2/6 X 6/8 2/6 X 8/0
- 2/8 X 6/8 2/8 X 8/0
- 3/0 X 6/8 3/0 X 8/0

1-3/8" HOLLOW CORE BIFOLDS

- 2/0 X 6/8
- 2/6 X 6/8
- 3/0 X 6/8

1-3/4" SOLID CORE 20 MIN FIRE

- 2/8 X 6/8 2/8 X 8/0
- 3/0 X 6/8

Primed



/// MOLDED PANEL DOORS



6 PANEL SMOOTH

1-3/8" HOLLOW CORE

- 1/3 X 6/8
- 1/4 X 6/8
- 1/6 X 6/8
- 1/8 X 6/8
- 2/0 X 6/8
- 2/4 X 6/8
- 2/6 X 6/8
- 2/8 X 6/8
- 2/10 X 6/8
- 3/0 X 6/8

1-3/8" SOLID CORE

- 1/6 X 6/8
- 2/0 X 6/8
- 2/4 X 6/8
- 2/6 X 6/8
- 2/8 X 6/8
- 3/0 X 6/8

1-3/8" HOLLOW CORE BIFOLDS

- 2/0 X 6/8
- 2/6 X 6/8

Primed



6 PANEL TEXTURED

1-3/8" HOLLOW CORE

- 1/0 X 6/8 2/0 X 8/0
- 1/2 X 6/8 3/0 X 8/0
- 1/3 X 6/8
- 1/4 X 6/8
- 1/6 X 6/8
- 1/8 X 6/8
- 1/10 X 6/8
- 2/0 X 6/8
- 2/2 X 6/8
- 2/4 X 6/8
- 2/6 X 6/8
- 2/8 X 6/8
- 2/10 X 6/8
- 3/0 X 6/8

1-3/8" SOLID CORE

- 2/0 X 6/8
- 2/4 X 6/8
- 2/6 X 6/8
- 2/8 X 6/8
- 3/0 X 6/8

1-3/8" HOLLOW CORE BIFOLDS

- 2/0 X 6/8
- 2/6 X 6/8
- 2/8 X 6/8
- 3/0 X 6/8

1-3/4" SOLID CORE 20 MIN FIRE

- 2/8 X 6/8
- 3/0 X 6/8

Primed

/// FLUSH DOORS



FLUSH BIRCH

1-3/8" HOLLOW CORE

- 1/6 X 6/8
- 2/0 X 6/8
- 2/4 X 6/8
- 2/6 X 6/8
- 2/8 X 6/8
- 3/0 X 6/8

1-3/8" SOLID CORE

- 2/0 X 6/8
- 2/4 X 6/8
- 2/6 X 6/8
- 2/8 X 6/8
- 3/0 X 6/8

1-3/8" HOLLOW CORE BIFOLDS

- 3/0 X 6/8

1-3/4" SOLID CORE 20 MIN FIRE

- 2/8 X 6/8
- 3/0 X 6/8

Birch



FLUSH HARDWOOD

1-3/8" HOLLOW CORE

- 1/4 X 6/8
- 1/6 X 6/8
- 1/8 X 6/8
- 2/0 X 6/8
- 2/4 X 6/8
- 2/6 X 6/8
- 2/8 X 6/8
- 3/0 X 6/8

1-3/8" SOLID CORE

- 2/6 X 6/8
- 2/8 X 6/8
- 3/0 X 6/8


1-3/8" HOLLOW CORE BIFOLDS

- 2/0 X 6/8
- 2/6 X 6/8
- 3/0 X 6/8

1-3/4" SOLID CORE 20 MIN FIRE

- 2/8 X 6/8
- 3/0 X 6/8

Hardwood



PRIMED MDF

1-3/8" HOLLOW CORE

- 2/0 X 6/8
- 2/4 X 6/8
- 2/6 X 6/8
- 2/8 X 6/8
- 3/0 X 6/8

1-3/8" SOLID CORE


- 2/0 X 6/8
- 2/4 X 6/8
- 2/6 X 6/8
- 2/8 X 6/8
- 3/0 X 6/8

1-3/8" HOLLOW CORE BIFOLDS

- 2/0 X 6/8
- 2/6 X 6/8
- 3/0 X 6/8

Primed

STILE & RAIL CONSTRUCTION



TOP RAIL
The uppermost rail of a stile and rail door.

PANEL (FLAT)
A door panel in which the perimeter does not contain a machined profile (panel raise). Constructed with veneer on the face and a composite core for a stained finish, or MDF for a painted finish.

PANEL (RAISED)
A door panel whose faces are raised above the perimeter and whose edges are shaped to fit into grooves in the stiles, rails and mullions. These panels are typically bladder pressed or rim banded for a stained finish or MDF for a painted finish.


MULLION
A vertical member used to separate panels. Also known as a "mull".

INTERMEDIATE RAIL
A rail, other than the top and bottom rail, used to separate panels, or to separate panels from glazing materials in a combination door. Also referred to as "cross rail".



STILE
The outermost vertical member of a stile and rail door.

LOCK RAIL
An intermediate rail located at approximately adjacent to the lock.

BOTTOM RAIL
The bottom rail of a stile and rail door.



STILE & RAIL CONSTRUCTION



WHY PRIMED STILE & RAIL?

/// FEATURES & BENEFITS



STILE & RAIL DOORS

/// 1-3/8" PRIMED STILE & RAIL

#4107

5 PANEL SHAKER

FLAT PANEL

- 1/6 X 6/8
- 2/0 X 6/8
- 2/4 X 6/8
- 2/6 X 6/8
- 2/8 X 6/8
- 3/0 X 6/8

Primed



#620

1 LITE

FROSTED

- 2/0 X 6/8
- 2/4 X 6/8
- 2/6 X 6/8
- 2/8 X 6/8
- 3/0 X 6/8

Primed



#627

15 LITE

CLEAR

- 2/0 X 6/8*
- 2/6 X 6/8
- 2/8 X 6/8
- 3/0 X 6/8

Primed



*2/0 door is a 10 Lite (625)



STILE & RAIL DOORS

/// 1-3/8" RADIATA PINE STILE & RAIL



#620
1 LITE
CLEAR
 2/0 X 6/8
 2/6 X 6/8
 2/8 X 6/8
 3/0 X 6/8
Radiata Pine



#627
15 LITE
CLEAR
 1/6 X 6/8**
 2/0 X 6/8*
 2/4 X 6/8
 2/6 X 6/8
 2/8 X 6/8
 3/0 X 6/8
Radiata Pine

**1/6 door is a 5 Lite (630)
 *2/0 door is a 10 Lite (625)

/// 1-3/8" RADIATA PINE STILE & RAIL



#730
LOUVER/LOUVER
 1/6 X 6/8
 2/0 X 6/8
 2/4 X 6/8
 2/6 X 6/8
 2/8 X 6/8
 3/0 X 6/8
1-1/8" BIFOLDS
 2/0 X 6/8
 2/6 X 6/8
 3/0 X 6/8
Radiata Pine

/// 1-3/8" KNOTTY PINE STILE & RAIL



#802 PLK
2 PANEL ARCH PLANK
 1/6 X 6/8
 2/0 X 6/8
 2/4 X 6/8
 2/6 X 6/8
 2/8 X 6/8
 3/0 X 6/8
Knotty Pine



#108
6 PANEL
 1/4 X 6/8
 1/6 X 6/8
 2/0 X 6/8
 2/4 X 6/8
 2/6 X 6/8
 2/8 X 6/8
 2/10 X 6/8
 3/0 X 6/8
1-1/8" BIFOLDS
 2/0 X 6/8
 2/6 X 6/8
 3/0 X 6/8
Radiata Pine



ROUGH OPENING GUIDE

HANDING GUIDE

	CONFIGURATION	SIZE	6-8 UNIT	7-0 UNIT	8-0 UNIT
1 PANEL - FUNCTIONING	SINGLE DOOR	1' 0"	14-1/2" X 82-1/2"	14-1/2" X 86-1/2"	14-1/2" X 98-1/2"
	SINGLE DOOR	1' 2"	16-1/2" X 82-1/2"	16-1/2" X 86-1/2"	16-1/2" X 98-1/2"
	SINGLE DOOR	1' 3"	17-1/2" X 82-1/2"	17-1/2" X 86-1/2"	17-1/2" X 98-1/2"
	SINGLE DOOR	1' 4"	18-1/2" X 82-1/2"	18-1/2" X 86-1/2"	18-1/2" X 98-1/2"
	SINGLE DOOR	1' 6"	20-1/2" X 82-1/2"	20-1/2" X 86-1/2"	20-1/2" X 98-1/2"
	SINGLE DOOR	1' 8"	22-1/2" X 82-1/2"	22-1/2" X 86-1/2"	22-1/2" X 98-1/2"
	SINGLE DOOR	1' 10"	24-1/2" X 82-1/2"	24-1/2" X 86-1/2"	24-1/2" X 98-1/2"
	SINGLE DOOR	2' 0"	26-1/2" X 82-1/2"	26-1/2" X 86-1/2"	26-1/2" X 98-1/2"
	SINGLE DOOR	2' 4"	30-1/2" X 82-1/2"	30-1/2" X 86-1/2"	30-1/2" X 98-1/2"
	SINGLE DOOR	2' 6"	32-1/2" X 82-1/2"	32-1/2" X 86-1/2"	32-1/2" X 98-1/2"
	SINGLE DOOR	2' 8"	34-1/2" X 82-1/2"	34-1/2" X 86-1/2"	34-1/2" X 98-1/2"
SINGLE DOOR	3' 0"	38-1/2" X 82-1/2"	38-1/2" X 86-1/2"	38-1/2" X 98-1/2"	
2 PANELS - FUNCTIONING	DOUBLE DOOR W/ BALL CATCH	2' 0"	26-1/2" X 82-1/2"	26-1/2" X 86-1/2"	26-1/2" X 98-1/2"
	DOUBLE DOOR W/ BALL CATCH	2' 6"	32-1/2" X 82-1/2"	32-1/2" X 86-1/2"	32-1/2" X 98-1/2"
	DOUBLE DOOR W/ BALL CATCH	2' 8"	34-1/2" X 82-1/2"	34-1/2" X 86-1/2"	34-1/2" X 98-1/2"
	DOUBLE DOOR W/ BALL CATCH	3' 0"	38-1/2" X 82-1/2"	38-1/2" X 86-1/2"	38-1/2" X 98-1/2"
	DOUBLE DOOR W/ BALL CATCH	4' 0"	50-1/2" X 82-1/2"	50-1/2" X 86-1/2"	50-1/2" X 98-1/2"
	DOUBLE DOOR W/ BALL CATCH	4' 8"	58-1/2" X 82-1/2"	58-1/2" X 86-1/2"	58-1/2" X 98-1/2"
	DOUBLE DOOR W/ BALL CATCH	5' 0"	62-1/2" X 82-1/2"	62-1/2" X 86-1/2"	62-1/2" X 98-1/2"
	DOUBLE DOOR W/ BALL CATCH	5' 4"	66-1/2" X 82-1/2"	66-1/2" X 86-1/2"	66-1/2" X 98-1/2"
	DOUBLE DOOR W/ BALL CATCH	6' 0"	74-1/2" X 82-1/2"	74-1/2" X 86-1/2"	74-1/2" X 98-1/2"
2 PANELS - FUNCTIONING	DOUBLE DOOR W/ ASTRAGAL	2' 0"	27-1/4" X 82-1/2"	27-1/4" X 86-1/2"	27-1/4" X 98-1/2"
	DOUBLE DOOR W/ ASTRAGAL	2' 6"	33-1/4" X 82-1/2"	33-1/4" X 86-1/2"	33-1/4" X 98-1/2"
	DOUBLE DOOR W/ ASTRAGAL	2' 8"	35-1/4" X 82-1/2"	35-1/4" X 86-1/2"	35-1/4" X 98-1/2"
	DOUBLE DOOR W/ ASTRAGAL	3' 0"	39-1/4" X 82-1/2"	39-1/4" X 86-1/2"	39-1/4" X 98-1/2"
	DOUBLE DOOR W/ ASTRAGAL	4' 0"	51-1/4" X 82-1/2"	51-1/4" X 86-1/2"	51-1/4" X 98-1/2"
	DOUBLE DOOR W/ ASTRAGAL	4' 8"	59-1/4" X 82-1/2"	59-1/4" X 86-1/2"	59-1/4" X 98-1/2"
	DOUBLE DOOR W/ ASTRAGAL	5' 0"	63-1/4" X 82-1/2"	63-1/4" X 86-1/2"	63-1/4" X 98-1/2"
	DOUBLE DOOR W/ ASTRAGAL	5' 4"	67-1/4" X 82-1/2"	67-1/4" X 86-1/2"	67-1/4" X 98-1/2"
	DOUBLE DOOR W/ ASTRAGAL	6' 0"	75-1/4" X 82-1/2"	75-1/4" X 86-1/2"	75-1/4" X 98-1/2"

BI-FOLD FINISHED OPENING

Add 3/4" to Door Height | $4/0 \times 6/8 = 4/0 \times 6/8 - 3/4"$

BYPASS FINISHED OPENING

Standard Hardware - Subtract 1" from Width and Add 1-3/4" to Height | $4/0 \times 6/8 = 3/11 \times 6/9 - 3/4"$

HANDING - STANDARD

Left Hand Swing

Right Hand Swing

Bypass





Double - Ball Catch Unit

Carton Bifold



Double - Left Hand Inswing Active

Double - Right Hand Inswing Active




HANDING - LOUVER

Left Hand Swing


Right Hand Swing

Inside

Outside



Closet Use - Louver Down Hinge Side




Room use - Louver Up Hinge Side

UNIT OPTIONS

/// JAMB OPTIONS



Double Rabbet
4-5/8", 6-5/8"



Split Jamb
3-5/8", 4-5/8", 5-1/4",
6-5/8"




Flat Jamb (WM887)
4-5/8", 4-7/8", 6-5/8"

Images are for reference only. Not to actual scale.

/// CASING OPTIONS



1 X 4 (3-1/2")



Delta Howe (3-1/2")



WM366L (3-1/4")



LWM332 (3-1/4")



WM445 (3-1/4")



WM444 (3-1/4")




WM399 (3-1/4")



WM432 (3-1/4")



WM473 (2-1/2")



WM366 (2-1/4")



WM356 (2-1/4")



WM324 (2-1/4")



WM327 (2-1/4")

Images are for reference only. Not to actual scale.

/// HINGE COLOR



Zinc Dichromate
(US2D)



Bright Brass
(US3)



Antique Brass
(US5)



Satin Brass
(US4)



Satin Nickel
(US15)



Antique Nickel
(US15A)



Dull Chrome
(US26D)



Polished Chrome
(US26)




Black
(US1D)



Oil Rubbed Bronze
(US10B)

INTERIOR DOOR UNIT

WHAT GOES INTO IT?





HUTTIG IS NOW
WOODGRAIN



CAPE GIRARDEAU, MO

4072 NASH ROAD
CAPE GIRARDEAU, MO 63701

E: ICAPE@WOODGRAIN.COM

P: (800) 866-0020



HUTTIG
DIGITAL
RESOURCES



WOODGRAIN
DIGITAL
RESOURCES

@WEAREWOODGRAIN

